

INDEX

INDEX OF FORMAL PAPERS, RESEARCH REPORTS AND DISCUSSIONS

When the same plant is referred to by both common and Latin names e.g. Fescues and *Festuca* sp. the former is when it is referred to as a crop, the latter as a weed.

- Abel, A.L.
p.229, 249, 253, 255
- Åberg, E.
p.187, 188, 355, 478
- Åberg, E. and Hagsand
p.111
- Abutilon sp.
p.501
- Acacia pennata
p.501, 502, 503
- Achillea millefolium
2,4-D p.223
- Adonis annua
prevalence p.290
- Aegopodium sp.
p.12
- Aerial application
p.7
- Aesculus hippocastanum
2,4-D, 2,4,5-T p.536
- Agnew, A.D.Q.
p.89, 98, 99
- Agrimonia eupatoria
2,4-D p.223
- Agropyron repens
p.16, 19, 122, 495
control of p.187 et seq.
in bulbs p.69
IPC and CIPC p.156
PCP p.242
PCP, endothal,
CMU p.448
TCA p.195 et seq., 253
TCA, NaC103 p.201, 229, 230
- Agrostis spp.
p.5, 85
IPC and CIPC p.156
TCA p.195, 198, 206, 207
- Agrostis alba
TCA, NaC103 p.201 et seq.
- Agrostis stolonifera
2,4-D p.79, 80, 81, 82
reproduction p.289
TCA p.197
- Agrostis tenuis
TCA p.197
- Aira caespitosa
TCA p.206, 207, 211
- Akhurst, C.G.
p.508
- Akocanthera friesiorum
p.501, 502
- Albizia sp.
p.503
- Alchemilla arvensis
DNC p.434, 435, 437, 438
autumn spraying p.446
- Allen, H.P.
p.13, 252, 509 et seq.
- Allen, H.P. and Ochiltree, W.
p.81
- Allium vineale
as noxious weed p.305
- Allotments
p.71
- Alnus glutinosa
2,4-D and 2,4,5-T p.536
- Agrostemma githago
as noxious weed p.305

- Alopecurus myosuroides*
 p.3, 15, 122, 123, 154,
 156, 250, 307, 446,
 PCP 445
- Alsike clover.*
 p.127
- Ambrosia spp.*
 p.306
- Ambrosia artemisiifolia*
 p.31
- 3-amino-1,2,4-triazole
 p.4, 30
- Ammate
 tropical vegetation p.505
- Ammonium nitrate
 p.5
- Anagallis sp.*
 DNC p.434, 438
- Anagallis arvensis*
 dinoseb 171, 172
 PCP, endothal CMU p.448, 451
- Anagallis foemina*
 seed viability p. 294
- Anchusa arvensis*
 in flax p.471
- Andersen, S.
 p.395, 423
- Angelica sylvestris*
 2,4-D p.223
- Annual meadow grass
 p.91
 TCA 208, 209
- Anthemis cotula*
 p.3
- Anthriscus sylvestris*
 2,4-D p.219, 220, 221,
 222, 223, 224, 225, 226,
 228
- Aphanes arvensis*
 reproduction p.289
- Apodytes dimidiata*
 p.501, 502
- Approval Scheme
 p.275 et seq.
- Aquatic weeds
 PCP p.446
- Arabidopsis thaliana*
 dispersal p.292
- Arctium lappa*
 2,4-D p.223
- Arrhenatherum tuberosum*
 TCA p.195, 197
- Arum maculatum*
 2,4-D p.223
- Ashworth, R. de B.
 p.275, 280
- Asparagus*
 p.34, 250
 oils, CaCN_2 p.47
- Atriplex sp.*
 dispersal p.292
- Atriplex hortensis*
 dispersal p.307
- Atriplex patula*
 dinoseb p.172, 174
 dispersal p.306, 307
 PCP, endothal, CMU p.448
- Avena spp.*
 TCA p.195, 197
- Avena fatua*
 p.3, 34, 44, 177 et seq.
 249, 250, 252, 309
 as noxious weed p.305
 dispersal p. 292, 307, 308
 IPC p.447
 IPC and CIPC p.151 et seq.
 PCP, endothal, CMU p.448
 seeds p.295
 TCA and carbamates p.492
- Avena ludoviciana*
 r.3
 distribution p.290
 seeds p.295

- Baglow, D.G.
p.463
- Balme, O.E.
p.219
- Barbarea vulgaris*
seeds in oats p.494
- Barley
p.31, 38, 42, 253, 254
2,4-D and MCPA p.144 et seq.
deformities p.358
dredge corn p.424
effect environment p.395 et seq.
GRS p.446
oils p.325
spray retention p.390
stage of growth p.423, 424
yield p.445
- Barnes, J.M.
p.229, 239
- Barnsley, G.E.
p.272
- Beans
p.34, 240, 242, 250
- Beans broad
adsorption MCPA p.324
phenoxybutyric acids p.313
- Beans runner
phenoxybutyric acids p.313
- Beet
p.250
POP p.240, 242
- Beet red
p.341
phenoxybutyric acids p.314
- Beevers, H.
p.432
- Behittle, H.
p.290
- Beinhauer, H.
p.191
- Bellis perennis*
p.79
- Bengtsson, A.
p.389, 394
- Bennet-Clark, T.
p.12
- Bent
p.77
- Betula* sp.
2,4-D, 2,4,5-T p.523, 528,
529, 530
- Betula pendula*
2,4-D, 2,4,5-T p.536
- Betula verrucosa*
2,4-D, 2,4,5-T p.526
- Bird's Foot Trefoil
p.89, 92
- Blackcurrants
TCA p.195, 196, 197
- Blackman, G.E.
p.4, 12, 20, 249, 252, 255,
325, 393, 394, 422, 423, 424,
432, 444
- Blair, G.H.
p.263, 264
- Blandy, R.V.
p.231, 247
- Blauser, I.P.
p.297
- Blouch et al
p.7
- Blue grama
p.7
- Booer, J.R.
p.276
- b-oxidation
p.311 et seq.
- Boyce
p.423
- Brachypodium sylvaticum*
railway embankments p.531
- Brambles
p.35

- Brassicas
 sulphuric acid p.457 et seq.
- Brassica spp.
 PCP, endothal, CMU p.448
- Brassica kaber
 p.23
- Breeese, T.C.
 p.415, 446
- Brian, R.C.
 p.321, 326
- Broccoli
 p.34
- Broccoli Cornish
 sulphuric acid/copper chloride
 p.458
- Broccoli white sprouting
 sulphuric acid p.458
- Bromus sp.
 as noxious weed p.305
 seeds p.295, 301
- Bromus sterilis
 IPC and CIPC p.156
- Bromus tectorum
 p.7
- Brush
 2,4-D, 2,4,5-T p.523 et seq.
- Buckwheat
 as test plant p.347 et seq.
- Bulb crops
 weed control in p.65 et seq.
- Cabbage
 p.34
 PCP p.240, 242
 phenoxybutyric acids p.313
 sulphuric acid p.458
- Cakebread, E.J.N.
 p.75, 247, 272, 274
- Calcium cyanamide
 asparagus p.47
 bulb crops p.66, 68
 flax p.468, 476
- Campanula hybrida
 DNC p.434, 435
- Campbell
 p.99
- Cantaloupes
 p.34
- Canthium euryoides
 p.501, 502
- Capsella spp.
 dispersal p.291, 292
- Capsella bursa-pastoris
 p.232 et seq.
 DNC p.434, 438
 in bulbs p.66, 69
 PCP p.62, 242
 reproduction p.289
 Seed production p.294
- α -carboxyethyl N-phenyl carbamate
 p.31
- Cardaria draba
 p.252
 dispersal p.292
- Carex nigra
 p.89
- Carpenter, K.
 p.316, 327, 362, 370, 374,
 523 et seq.
- Carpinus betulus
 2,4-D, 2,4,5-T p.526, 529
- Carroll
 p.238
- Carrots
 p.20, 34, 250
 MCPB, MCPA and 2,4-D p.316
 oils p.47, 48, 49, 262, 266
 PCP p.240, 242
 PCP slugs p.446
 phenoxybutyric acids p.314,
 316, 328, 340
 PMC p.231, 232, 233
- Castanea sativa
 2,4-D, 2,4,5-T p.536
- Cattle, F.F.
 p.123

- Cauliflower
p.34
phenoxybutyric acids p.313
- Celery
p.34
2,4-DB, MCPB, 2,4-D and
MCPA p.316
oils p.49, 50
phenoxybutyric acids p.314
- Centaurea cyanus
MCPA p.480
- Cereals (general)
p.3, 42, 250
autumn spraying p.4
TCA p.196, 198
Trichothecin p.9
volume rate p.39
yield p.4
- Cereal/legume mixtures
p.250
- Chamaenerion angustifolium
p.526
2,4-D, 2,4,5-T p.530
prevalence and dispersal
p.291
- Chapell,
p.238
- Chenopodium spp.
Copper sulphate, CaCN_2 p.468
- Chenopodium album
p.31, 496
dinoseb p.171, 174
dispersal p.291, 292
DNC p.471, 480
GRS p.355, 356, 357
in bulbs p.66
in flax p.467, 468, 469,
481
in kale p.492
MCPA p.471, 477, 480
MCPB and 2,4-DB p.316
MCPB and MCPA p.337
MCPB, MCPA and dinoseb p.332
PCP p.51, 60, 62, 63, 212
PCP, endothal, CMU p.448, 451
peas p.158
phenoxybutyric acids p.314,
331
seed viability p.294
- Chenopodium album (contd.)
sodium chloride and nitrate
p.447, 453
spray retention p.391
sulphuric acid p.457, 459, 461
TCA p.196, 197
test plant p.370
- Chenopodium amaranticolor
as test plant 370
- Chervil
oils p.50
- Chewings Fescue
MH p.214
- Chlorinated phenols
effect on GRS p.355 et seq.
- 2-chloro-9-fluorenol-9-carboxylic
acid
p.8, 9
- 4-chlorophenoxybutyric acid
p.312 et seq.
- 2-(1-chloropropyl) N-(3-chlorophenyl)
carbamate
p.29, 31
- Chrysanthemum leucanthemum
2,4-D p.79, 80, 82
- Chrysanthemum segetum
p.249
sulphuric acid p.459
- CIPC
p.7, 12, 29, 31, 34, 35, 37, 39,
40, 41
Avena fatua p.177 et seq. 492
peas and lucerne p.151 et seq.
- Cirsium spp.
p.122
dinoseb 174
- Cirsium arvense
p.249
as noxious weed p.301
2,4-D p.95, 219, 220, 221, 223
MCPA p.420, 421, 422, 477
MCPB and 2,4-DB p.316
MCPB, MCPA and dinoseb p.332
MCPB, 2,4,5-TB and 2,4-DB p.337
phenoxybutyric acids p.315, 316,
331

- Cirsium arvense* (contd.)
 sodium chlorate p.12
 TCA p.196, 197
- Cirsium vulgare*
 as noxious weed p.301
 2,4-D and MCPA p.97
 dispersal p.298
- Clark, B.E.
 p.290
- Claytonia perfoliata*
 dispersal p.293
- Clematis vitalba*
 2,4-D, 2,4,5-T p.536
- Clovers
 p.122, 250
 2,4-D p.126, 128
 MCPA p.126, 128
 MCPB p.316, 371
 phenoxybutyric acids p.316,
 327 et seq.
 Seed p.101
 Seed *Stellaria media* in p.304
 weed seeds in p.301
- Clover Alsike
 2,4-D and MCPA p.143 et seq.
- Clover Ladino
 p.39
- Clover Red
 p.31
 2,4-D and MCPA p.125, 126, 127,
 128
 MCPA and 2,4-D p.143 et seq.
 phenoxybutyric acids p.313
- Clover White
 p.38, 85, 143 et seq.
 2,4-D p.77 et seq.
 2,4-D and MCPA p.125, 127, 128
- CMU
 p.30, 34, 35
Avena fatua p.177 et seq.
 bulbs p.70
Imperata cylindrica p.509 et seq.
 sugar beet p.447 et seq.
- Cocksfoot
 p.15, 20, 21, 102, 103, 123
 2,4-D p.77, 79, 81, 82, 111,
 116, 117
 MCPB, 2,4-DB and MCPA p.339
 M.H. p.214
- Coconut
 p.512
- Coleman, F.
 p.295, 308
- Cole-Tinsley, H.
 p.276
- Collards
 p.34
- Collier, F.S.
 p.508
- Collinge, W.F.
 p.291
- Combine harvesters and weed seed
 dispersal
 p.19, 305
- Combretum spp.
 p.503
- Commiphora spp.
 p.503, 507
- Commiphora schimperi
 p.504, 505
- Commiphora subsessilifolia
 p.504, 505
- Condon
 p.240
- Connold, W.Q.
 p.457, 461
- Contractor spraying
 p.7
- Convolvulus* spp.
 TCA p.197
- Convolvulus arvensis*
 dinoseb p.172
 in bulbs p.66
 TCA and sodium chlorate
 p.188

- Copper chloride
 bulbs p.68
 flax p.468, 469, 477

 Copper chloride + sulphuric acid
 broccoli p.458

 Copper sulphate
 flax p.468, 469, 476

 Corn Production Acts
 p.301

 Cornus sanguinea
 2,4-D p.223
 2,4-D, 2,4,5-T p.536

 Corrosion
 p.260

 Corylus avellana
 2,4-D, 2,4,5-T p.523, 526,
 528, 529, 530, 536

 Cotton
 p.8, 29, 37
 defoliation p.30
 phenoxybutyric acids p.314
 2,4,5-TB p.508

 4-CPA
 p.29

 4-CPB
 p.327 et seq.

 Crataegus spp.
 p.531
 2,4-D, 2,4,5-T p.528, 529

 Crataegus monogyna
 2,4-D p.223
 2,4-D, 2,4,5-T p.536, 537,
 538, 539

 Crawford
 p.238

 Crepis capillaris
 p.79

 Crepis taraxacifolia
 dispersal p.304

 Cress
 adsorption MCPA p.324
- Crested Dog's Tail
 p.89, 91

 Cresylvic acid
 p.59

 Croton dichagamus
 p.501, 502

 Cucumbers
 p.34

 Culpin, C.
 p.257, 265, 266, 393

 Cupric chloride
 peas p.161

 Cupric sulphate
 peas p.161

 Cuscuta spp.
 seeds p.301

 Cyperaceae
 TCA p.511

 2,4-D
 p.3, 5, 10, 12, 30, 31, 34, 35,
 36, 38, 39, 40, 43, 219 et seq.,
 250, 251, 268, 311.
 barley, environment p.395
 bulb crops p.66, 67, 68
 Cirsium arvense p.95, 96
 clovers p.125, 126, 127
 flax p.478
 grasses p.111, 112, 116, 117, 122
 grassland p.77, 78, 80
 isomers p.355 et seq.
 Juncus articulatus p.85 et seq.
 oats p.407 et seq.
 oats and frost 401 et seq.
 potatoes p.50, 51
 railway embankments p.523 et seq.
 tomatoes p.423
 toxicity p.240
 translocation, p.423
 tropical vegetation p.499 et seq.
 undersown clovers p.143 et seq.
 winter application p.446
 woody plants p.535 et seq.
 yield p.425 et seq.
- 2,5-D
 p.29
- 3,4-D
 p.29

- Dactylis glomerata
IPC and CIPC p.156
- Dadd, C.V.
p.254, 308, 445
- Daffodils
PCP and DNC p.446
weed control in p.65, 66, 67
- Dales, M.
p.496
- Daucus carota
as noxious weed p.305
DNC p.435
seeds p.301
seeds in oats p.494
- Davies, J.
p.205
- Davies, T.H.
p.85
- 2,4-DB
p.312 et seq., 327 et seq.
- 3,4-DB
p.312 et seq., 327 et seq.
- Debney, E.W.
p.98
- de Boer
p.81
- Defoliation
tropical vegetation p.499
et seq.
- Deformity
oats p.417
wheat and barley p.424
- Deichman
p.239
- Denward, T.
p.478
- Deschampsia caespitosa
p.91
- Detroux
p.238
- Dichloral urea
sugar beet p.492
- 2,4-dichlorophenol
p.5
- 1-(3,4-dichlorophenyl)-3-methyl urea
p.30
- 3-(3,4-dichlorophenyl)-1-dimethyl urea
p.30
- Dichloropropionic acid
p.230, 250
- 2,2-dichloropropionic acid
p.30, 31
Agropyron repens p.187 et seq.
soil decomposition p.187
- 2,4-dichloropropionic acid
activity p.325
- Dichrostachys glomerata
p.505, 507
- Dijksterhuis
p.432
- Dill
p.34
- Dinitro compounds
p.250
- Dinitro phenols
p.29
- Dinitros
vegetables p.59
- Dinitros (unspecified)
p.3
- dinosam
bulbs p.70
- dinoseb
p.12, 29, 34, 35, 36, 38, 39, 40,
250, 251, 252, 270, 278
Avena fatua p.177 et seq.
flax p.467 et seq.
leaching p.373
MCPB and MCPA p.332
peas p.123, 157 et seq., 165 et seq.
volume rate p.389 et seq.
wheat p.433 et seq.

- DNC
 p.4, 7, 252, 260, 261,
 270, 445, 446
 bulbs p.66, 68, 69
 flax p.467 et seq., 475 et seq.
 onions p.51, 52
 pathogens p.445, 446
 peas p.157, 158
 wheat p.433 et seq.
 yield p.425 et seq., 444
- Doney, R.P.
 p.85
- 2,5-DB
 p.29
- Dredge corn
 p.424
- Droplet size
 MCPA and dinoseb p.389 et seq.
- Eaton G.O.P.
 p.213, 229, 535 et seq.
- Echinochloa crus-galli
 p.495
- Echium vulgare
 dispersal p.293
 phenoxybutyric acids p.315
 sulphuric acid p.459
- Economics
 p.267 et seq.
- Elaeodendron sp.
 p.501, 502
- Elliott, J.G.
 p.98, 186, 375, 394, 407,
 424
- Endothal
 p.34
 sugar beet p.447 et seq.
- Equisetum sp.
 dinoseb p.174
- Erigeron canadense
 dispersal p.291
- Escritt, J.R.
 p.229
- Euclea divinorum
 p.500, 501, 502
- Eupatorium odoratum
 TCA p.511
- Euphorbia helioscopia
 p.315
- Euphorbia matabensis
 p.504, 505, 507
- Euphrasia nemorosa
 p.79
- Evans, S.A.
 p.143, 185, 205, 229, 230
- Fagus sylvatica
 2,4-D, 2,4,5-T p.536
- Fallow
 p.16
- Farm yard manure and weed seed
 dispersal
 p.295
- Feren, D.H.
 p.463
- Ferric sulphate
 flax p.468
- Fertilisers
 p.4, 5
- Fescues
 p.7, 102
 2,4-D p.77
 M.H. p.214
- Festuca spp.
 p.5
- Festuca rubra
 p.91
 2,4-D p.79, 80, 81, 82
 TCA p.206, 207
- Flaming
 (onions) p.51, 52

- Flax p.31, 40, 42, 250, 467 et seq.,
475 et seq.
b-oxidation p.311
Cuscuta seeds in p.301
MCPA, MCPB and 2,4-D p.316
phenoxybutyric acids p.313, 316
- Fodder beet p.8
- Foister, C.E. p.276
- Forrest, J.D. p.493
- Fragaria Vesca* 2,4-D p.223
- Fraxinus excelsior* 2,4-D, 2,4,5-T p.526, 528,
529, 536
- Frederiksen, P.S. p.467
- Freed p.7
- Freeman and Morris p.9
- Froier, K. p.475
- Frost
barley and 2,4-D p.395,
396
oats and 2,4-D p.401 et seq.
- Frost, C. p.347
- Fryer, J.D. p.122, 275, 375, 394, 407,
423, 424, 499
- Fumaria officinalis*
MCPB and 2,4-DB p.316
PCP p.62
PCP, endothal, CMU p.448,
451
phenoxybutyric acids p.314
sodium chloride and nitrate
p.449
- Furse, G.E. p.424, 492
- Gaimster, K. p.371
- Galeopsis spp.*
in flax p.481
MCPA p.480
- Galeopsis tetrahit*
dinoseb p.172
- Galium spp.*
DNC p.435
- Galium aparine*
autumn spraying p.446
2,4-D p.223
2,4-D and MCPA p.268
dinoseb, p.172
dispersal p.292, 293
in cereals p.304
seeds p.299
sulphuric acid p.459, 462
2,4,5-T p.360
- Galium cruciata*
2,4-D p.223
- Galium mollugo*
2,4-D p.223
2,4,5-T p.360
- Galium verum*
2,4-D p.223
- Galley p.239
- Gallinsoga parviflora*
dispersal p. 291
- Garrett-Jones, R. p.460
- Gathergood, A.L. p.347
- Geranium spp.*
as noxious weed p.305
phenoxybutyric acids p.315
seeds p.301
- Geranium molle*
p.3

- Geranium robertianum
 2,4-D p.223
- Geranium pratense
 2,4-D p.223
- Geum urbanum
 2,4-D p.223
- Gifford, C.
 p.286
- Gimingham, C.I.
 p.276
- Gladioli
 weed control in p.65
- Glechoma hederacea
 2,4-D p.223
- Granhall, I.
 p.478
- Grant, M.V.
 p.306
- Grapes
 p.35
- Grass seed
 p.101
- Grass weeds (unnamed)
 p.5, 30, 34
- Grass undersown to peas
 dinoseb p.123
- Grasses
 p.38, 40
 weed seeds in p.301
- Grassland
 p.5, 12, 13, 42, 77, 250,
 253, 267, 272
 TCA p.205 et seq.
- Gregory, P.
 p.157, 165, 177, 433, 446
- Grevia sp.
 p.501, 502, 503
- Hagsand, E.
 p.358
- Halliday, D.J.
 p.80, 111
- Hamblin, H.J.
 p.298
- Hanf, M.
 p.401, 403
- Hansen, B.
 p.355
- Harding, G.F.
 p.213, 229, 535 et seq.
- Hardy, J.E.
 p.276
- Harris, R.A.T.
 p.458
- Harrison, A.D.
 p.75
- Hart, B.G.
 p.122, 491, 492
- Hartley, G.S.
 p.373
- Harvest and weed seed dispersal
 p.296 et seq.
- Haymaking and weed seed dispersal
 p.295
- Hebblethwaite, P.
 p.393
- Hedera helix
 2,4-D p.223
 2,4-D, 2,4,5-T p.536
- Helquist, H.
 p.389, 394
- Heracleum sphondylium
 2,4-D p.219, 220, 221, 222,
 223, 225, 226, 227, 228
- Herbicides (sales) in U.S.A.
 p.41
- Herbthofer, F.
 p.298
- Heydecker,
 p.238

- Hirst, R.H.
p.415
- Hitchcock, A.H.
p.355
- Hoare, E.R.
p.257
- Hoffman and Smith
p.8
- Holcus lanatus
p.5, 122
as noxious weed p.305
railway embankments p.531
seeds p.295, 301
- Holcus mollis
TCA 206, 209
- Holden, A.J.
p.276
- Holly, K.
p.98, 125, 143, 185, 373,
393, 499
- Holly, K., Woodford, E.K. and
Blackman, G.E.
p.80
- Holmes, E.
p.12, 76, 99, 243, 254,
271, 273, 276
- Holmes, H.
p.433
- Holstein
p.238
- Hood, P.J.K.
p.201, 230
- Hordeum murinum
dispersal p.293
- Horne, F.R.
p.298, 302, 304, 306
- Hunt, J.L.
p.186, 491
- Hurlbut, L.W.
p.298
- Hydrocotyle vulgaris
p.91
- Hypericum perforatum
reproduction p.289
- Hypochaeris radicata
PCP p.242
- Imperata cylindrica
oils p.509 et seq.
- Indoleacetic acid
p.10, 12
tricothecin p.9, 13
- IPC
p.6, 7, 12, 29, 31, 34, 250
Avena fatua p.177 et seq. 492
Peas and lucerne p.151 et seq.
strawberries p.47
sugar beet p.447 et seq. 492
- Iris
weed control in p.65
- Isoberlinia globiflora
p.505, 507
- Isopropyl N-(3-methyl phenyl)
carbamate
p.29, 31
- Ivens, G.W.
p.61, 244, 499
- Jackson, A.L.
p.459
- Jary, S.G.
p.98, 195-229, 287, 394
- Jeater, R.S.L.
p.111, 122, 123
- Jenson
p.423
- Johns, D.L.
p.499
- Jones, H.J.
p.275, 276
- Juncus spp.
p.5, 89 et seq., 253
dispersal p.292

- Juncus acutiflorus*
 p.89, 91

Juncus articulatus
 p.85
 2,4-D p.85 et seq.

Juncus conglomeratus
 p.89

Juncus effusus
 p.85, 89, 91, 92
 TCA p.207

Juncus inflexus
 p.89

Juncus tenuis
 dispersal p.292

 Kale
 p.8, 17, 34, 250
 PCP p.240
 sodium arsenite p.251, 254
 sulphuric acid p.457 et seq.
 491, 492
 TCA p.196

 Kates
 p.238

 Kearns
 p.257, 265

 Kenhoe
 p.239

Kickxia spuria
 dinoseb p.171

 King, J.
 p.276

 Kinsman, C.D.
 p.297

Knautia arvensis
 2,4-D p.79

 Knutsson, G.
 p.188

 Korsmo, E.
 p.20

 Kraak, M.
 p.364, 366
- Kratochvil, D.E.
 p.238

 Lachman
 p.238

Lamium album
 2,4-D p.223

Lamium purpureum
 p.234, 235
 G.R.S. p.356, 357
 phenoxybutyric acids p.315

 Land Rover
 sprayer p.380 et seq.

 Lannea sp.
 p.503

Lantana camara
 TCA p.511

Lapsana communis
 2,4-D p.223

 Larose
 p.431

Lathyrus pratensis
 2,4-D p.223

 Laurence, H.
 p.20

 Leaching
 measurement p.373

 Lead Arsenate
 Toxicity p.240

 Leeks
 p.250
 flaming p.52

 Legislation
 p.281 et seq.
 weed seeds and noxious
 weeds p.301 et seq.

 Lentils
 p.304
 seed cleaning p.289

Leontodon autumnalis
 2,4-D p.79

- Leontodon hispidus
 2,4-D p.79, 80, 82
- Lettuce
 p.34, 60
 PCP p.64, 240, 241, 242, 248
 phenoxybutyric acids p.313
- Light
 tomatoes, 2,4-D p.423
- Lima bean
 p.37
- Limb, P.G.
 p.65
- Linseed
 p.249, 250
 Cuscuta seeds in p.301
 deformities p.355, 358
 volume rate p.391, 392
- Lloyd, A.J.
 p.237, 247, 254, 446
- Lloyd, A.S.
 p.266
- Lolium sp.
 DNC p.435
- Lolium perenne
 IPC and CIPC p.156
 TCA p.206
- Lolium temulentum
 p.304
 prevalence p.290
 seed cleaning p.289
- Longmate, R.E.
 p.267, 271, 272, 273
- Loomis, W.E.
 p.393
- Losses caused by weeds
 p.23
- Lucerne
 p.15, 20, 21, 39, 40, 250
 IPC and CIPC p.151 et seq.
 MCPP, 2,4-DB p.316
 phenoxybutyric acids p.313,
 316
 TCA p.195, 197, 198
- Lychnis alba
 see Melandrium album
- Maba abyssinica
 p.501, 502
- Machle
 p.239
- Maize
 p.29, 36, 42, 249
 phenoxybutyric acids p.313
- Maleic hydrazide
 p.4
 Avena fatua p.177 et seq.
 grasses p.213 et seq.
 toxicity p.217, 229
- Malus primula
 2,4-D, 2,4,5-T p.536
- Mangolds
 p.8
- Markhamia sp.
 p.503
- Marrow
 phenoxybutyric acid p.314
- Marth, P.C. and Mitchell, J.W.
 p.80, 81
- Martin, J.T.
 p.275, 276, 280, 325
- Mason, H.C.
 p.76
- Matricaria spp.
 p.12, 249
 adsorption MCPA p.321, 324
 autumn spraying p.446
 dispersal p.292
 DNC p.434, 437
 early spraying p.407, 412
 in bulbs p.66
 sulphuric acid p.459
- Matricaria inodora
 dinoseb p.172, 174
 TCA and sodium chlorate p.188
- Matricaria maritima
 p.3

- Matricaria matricoides*
 dispersal p.293
 phenoxybutyric acids p.315
- Matthews, L.J.**
 p.111
- MCP**
 caproic p.311
 heptanoic p.311
 octanoic p.311
 propionic p.311
 valeric p.311
- MCPA**
 p.3, 5, 9, 250, 251, 260
 268, 278, 279
 adsorption p.321 et seq.
 bulbs p.66, 67, 68
Girsium arvense p.95, 96
 clovers p.125, 126, 127, 128
 dredge corn p.424
 flax p.467 et seq., 475 et seq.
 cf. formulations p.347 et seq.
 grasses p.111
 homologues p.311
 isomers p.355 et seq.
 leaching p.373
 oats p.407 et seq., 415 et seq.
 pastures p.76
 peas p.53, 54, 55, 157 et seq.
 penetration p.325
 cf. phenoxybutyric acids p.332
 et seq.
 potatoes p.50, 51
Solanum incanum p.506
 tricothecin p.10, 13, 38, 40
 undersown clovers p.143 et seq.
 volume rate p.389 et seq.
 winter application p.446
 yield p.425 et seq.
- MCPB**
 p.311, et seq., 327 et seq.
 371
- Meadow fescue**
 2,4-D p.111, 112, 113, 117,
 118, 119
- Meadow grass**
 M.H. p.214
- Mechanical control**
 p.15 et seq.
- Melandrium album**
 Seeds in oats p.494
 TCA and NaClO₃ p.203
- Melilotus officinalis**
 p.307
- Mentha spp.**
 p.197
- Mentzer and Netien**
 p.8
- Mercurialis annua**
 phenoxybutyric acids p.315
- Mercurialis perennis**
 2,4-D p.223
- Mercury salts**
 p.240
- Methyl bromide**
 p.41
- 3-methyl-4-chloro-phenoxybutyric acid**
 p.312 et seq.
- Methyl phenols**
 p.355 et seq.
- Moore, M.H.**
 p.276
- Moore, W.C.**
 p.276, 278
- Morris, F.W.**
 p.19, 20, 280
- Morrison, J.**
 p.18
- Munro, J.W.**
 p.276
- Muskmelons**
 p.34
- Mustard**
 p.34
 adsorption MCPA p.324
 PCP p.242
- Myers, M.**
 p.423, 424
- Myosotis arvensis**
 phenoxybutyric acids p.315
- MacDonald, J.R.**
 p.286

(22394)

- MacRae, J.W.
 p.493
 McLeod, K.
 p.461
 McMillan, J.A.
 p.301
 α -Naphthyl phthalamic acid
 p.4, 8, 30, 34
 Narcissus
 weed control in p.67, 68, 69
 Naylor, P.A.
 p.461
 Nelson, R.T.
 p.447
 New Zealand brown top
 M.H. p.214
 O-Nitrotoluene
 p.5
 NIX
 peas p.162
 Norman, J.T.
 p.77
 Noxious weeds
 in grass and clover seed
 production p.101 et seq.
 legislation p.301 et seq.
 Nozzles
 p.261
 performance p.365, 366, 369,
 370
 Nursery stock
 p.41
 Oats
 p.4, 12, 23, 38, 42
 adsorption MCPA p.324
 dredge corn p.424
 early spraying p.407 et seq.
 415 et seq.
 frost and 2,4-D p.401 et seq.
 G.R.S. p.446
 undersown 2,4-D and MCPA p.114
 et seq.
 weed seeds p.494
- Ochiltree, W.
 p.76, 123, 125, 143, 185,
 394
 Oils
 p.37, 41, 251
 asparagus p.47
 barley and parsnips p.325
 carrots p.47, 262, 266
 celery p.49, 50
 chervil p.50
Imperata cylindrica p.509 et seq.
 onions p.59, 63
 parsley p.50
- Olea chrysophylla
 p.500, 501, 502
- Onions
 p.8, 35, 231, 232, 240, 242, 250
 adsorption MCPA p.324
 DNC p.51, 52
 Flaming p.51, 52
 KOCN p.51, 52
 oils p.51, 52
 phenoxybutyric acids p.314
 weed control in p.57, 59, 60, 63
- Ormrod, J.F.
 p.458, 460
- Osborne, D.J.
 p.423
- Osvald, H.
 p.187, 229, 230, 394
- Pain, G.R.
 p.460
- Panicum molle
 p.16
- Papaver spp.
 dispersal p.291
 DNC p.434, 435, 437, 438
- Papaver rhoeas
 as test plant p.370
 MCPB p.316, 332
 MCPB and MCPA p.337
 Seed production p.294
 sulphuric acid p.459
- Park, P.O.
 p.373, 374

- Parker, C.
p.60, 238, 244, 447, 491, 492
- Parsley
p.34
oils p.50
- Parsnips
p.34, 250
MCPB, MCPA and 2,4-D p.316
oils p.325
phenoxybutyric acids p.314
- Pastinaca sativa
2,4-D p.223
- PCP
p.34, 35, 237 et seq., 254, 446
Avena fatua p.177 et seq.
bulbs p.68, 69
costs p.243
Imperata cylindrica p.509
et seq.
sugar beet p.447 et seq., 491,
492
toxicity p.239, 240
vegetables p.59, 61, 62, 63, 64
- PDU
p.30
Imperata cylindrica p.509
et seq.
- Peacock, W.
p.308
- Pearnuts
p.29, 37
- Peas
p.40, 157, et seq., 165
et seq., 240, 242, 250,
268
control of Avera fatua in
p.177 et seq.
dinoseb p.53, 54, 55, 123
effect of 2,2-dichloro-
propionic acid p.187 et seq.
IPC and CIPC p.151 et seq.
MCPA p.53, 54, 55
MCPB, MCPA and 2,4-D p.316
PCP p.254
phenoxybutyric acids p.313,
327 et seq.
spray retention p.390
2,4,5-TB p.316
volume rate p.319, 392
- Peck, W.D.
p.549
- Petersen, H.I.
p.47, 76
- Pfeiffer, R.
p.433, 445
- Phenyl mercuric chloride
p.231 et seq.
- Pineapples
p.247
- Pinus spp.
2,4-D, 2,4,5-T p.536
- Plantago spp.
dispersal p.292
- Plantago lanceolata
2,4-D p.79, 80, 81, 82, 223
dispersal p.291, 292
- Plantago major
p.234, 235
dispersal p.291, 292
phenoxybutyric acids p.315
- Poa sp.
TCA p.206, 207
- Poa annua
p.123, 234, 235
in bulbs p.66, 69
in ryegrass seed p.304
IPC and CIPC p.156
PCP p.62, 64, 242,
reproduction p.289, 304
sulphuric acid p.59
TCA p.195, 197
- Poa pratensis
p.123
IPC and CIPC p.156
- Polygonum spp.
copper sulphate p.468
in flax p.467
- Polygonum aviculare
p.3, 12, 291
dinoseb p.172, 174
in bulbs p.66
in flax p.471
MCPB p.316
MCPB and MCPA p.337

- Polygonum aviculare* (contd.)
 MCPB, MCPA and dinoseb p.332
 PCP p.62
 PCP, endothal, CMU p.448, 451
 peas p.159
 phenoxybutyric acids p.314,
 331
 sodium chloride and nitrate
 p.449
 sulphuric acid p.459, 462
- Polygonum convolvulus*
 dinoseb p.171, 172, 174
 DNC p.471,
 GRS p.356, 357
 in flax p.467, 468, 469
 MCPA p.471, 480
 MCPB p.332
 MCPB, 2,4-DB, MCPA and
 2,4-D p.337
 PCP, endothal, CMU p.448, 451
 peas p.158
- Polygonum lapathifolium*
 MCPA and MCPB p.337
- Polygonum persicaria*
 dispersal p.308
 early spraying p.407, 412
 in flax p.471, 481
 in Kale p.492
 MCPA p.480
 PCP, endothal, CMU p.448
 sodium chloride and nitrate
 p.453
 sulphuric acid p.457, 458, 459,
 461, 491
- Ponton, A.G.
 p.276
- Poppy (Shirley)
 as test plant p.370
- Populus* spp.
 2,4-D, 2,4,5-T p.523, 526,
 536
- Populus tremula*
 2,4-D, 2,4,5-T p.529
- Populus nigra*
 2,4-D, 2,4,5-T p.528, 529
- Potassium cyanate*
 p.35, 59
 leeks p.52, 53
 onions p.51, 52
 peas p.161, 162
- Potatoes*
 p.17, 35, 250, 251, 252, 253,
 254, 258
 2,4-D and MCPA p.50, 51
 deformities p.355
 MCPA p.76
 phenoxybutyric acids p.313
 seed p.301
 TCA p.195, 197
- Potentilla reptans*
 p.79
 2,4-D p.223
- Potter, C.
 p.366
- Pre-emergence treatment
 p.8, 57
- Price, C.D.
 p.458, 459, 491, 492
- Proctor, J.M.
 p.157, 165, 177
- Propyl-N-3-methyl phenyl carbamate
Avena fatua p.492
- Prosopis juliflora*
 p.43
 2,4,5-T and 2,4,5-TP p.508
- Prunella vulgaris*
 2,4-D p.79
- Prunus spinosa*
 2,4-D p.223
 2,4-D, 2,4,5-T p.536
- Prytherch, E.I.
 p.457, 460
- Pumpkins
 p.34
- Quercus* sp.
 2,4-D, 2,4,5-T p.526, 528,
 529, 536
- Radish
 phenoxybutyric acids p.313
- Rademacher, B.
 p.401, 422, 423

- Railway embankments
2,4-D, 2,4,5-T p.523 et seq.
- Rain
barley, 2,4-D p.395 et seq.
- Ranunculus* spp.
p.85
dispersal p.292
- Ranunculus arvensis*
dispersal p.293
- Ranunculus bulbosus*
2,4-D p.79, 80, 82
- Ranunculus ficaria*
2,4-D p.223
- Ranunculus repens*
p.5, 197
2,4-D p.219, 223
- Ranunculus parviflora*
slugs p.305, 306
- Rape
p.34
PCP p.240
residual effect of sodium chlorate, TCA and 2,2-dichloro-propionic acid p.187 et seq.
sulphuric acid p.458
TCA p.196
- Raphanus raphanistrum*
as noxious weed p.305
in flax p.471
PCP, endothal, CMU p.448, 451
sodium chloride and nitrate
p.453
sulphuric acid p.459
- Read, W.H.
p.276
- Red Clover
p.102, 103
- Reynolds, J.D.
p.157, 165, 177, 186
- Rhamnus frangula*
2,4-D, 2,4,5-T p.536
- Ribes* spp.
2,4-D, 2,4,5-T p.536
- Rice
p.42, 249
- Riepma, P.
p.4, 12, 425, 433, 445
- Ripper, W.E.
p.250, 251, 257, 265, 273
- Roadsides
p.216, 219 et seq.
- Robbins
p.238
- Roberts, H.A.
p.57, 75, 244
- Roland, M.
p.188
- Root crops (unnamed)
p.17
- Rosa spp.
2,4-D, 2,4,5-T p.523, 526, 528,
536, 539
- Rubber
Imperata cylindrica p.509
et seq.
2,4,5-T p.508
- Rubus* spp.
p.531, 532
2,4-D, 2,4,5-T p.523, 526,
528, 530, 536, 537, 538, 539
- Rubus fruticosus*
2,4-D p.223, 227
- Rubus idaeus*
2,4-D, 2,4,5-T p.536
- Rumex spp.
p.19, 122, 253
as noxious weed p.305
DNC p.434
dispersal p.292
seeds p.301
- Rumex crispus*
p.495
as noxious weed p.301
2,4-D p.219, 220, 223, 227,
228
MCPB p.332

- Rumex obtusifolius
p.19
as noxious weed p.301
control of dispersal p.306
- Rye
p.4, 5, 42
DNC p.445
residual effect of TCA and
2,2-dichloropropionic acid
p.190
yield p.425 et seq., 445
- Ryegrass
p.77, 78, 80, 83, 84, 91, 92,
102
adsorption MCPA p.324
2,4-D p.111, 115, 121
MCPB, 2,4-DB and MCPA p.339
M.H. p.214
TCA p.196
- Ryegrass seed
Poa annua in p.304
- Sainfoin
p.250
- Salisbury, E.
p.276, 289
- Salix spp.
2,4-D, 2,4,5-T p.523, 529,
536
- Sambucus nigra
2,4-D, 2,4,5-T p.536, 537,
538
- Sanders, H.G.
p.15, 19, 122, 229, 230, 302,
458, 460, 492
- Scandix pecten-veneris
as noxious weed p.305
- Schrebera alata
p.501, 502
- Scilla non-scripta
2,4-D p.223
- Scolopia sp.
p.501, 502
- Scott Watson, J.A.
p.1, 13, 309
- Scrugg, E.B.
p.125, 143
- Seed cleaning
p.289, 290, 307
- Seed drill survey
p.493 et seq.
- Seeds Act
p.301, 302, 303, 308
- Seeds Act of Canada
p.493
- Senecio spp.
as noxious weed p.301
- Senecio jacobaea
p.5
- Senecio squalidus
prevalence p.291
- Senecio viscosus
dispersal p.291
- Senecio vulgaris
p.8, 9, 69, 231 et seq.
adsorption MCPA p.321, 324
dinoseb p.172
dispersal p.291
MCPB p.332
PCP p.62, 242
phenoxybutyric acids p.315
PMC p.231
prevalence p.291
seed production p.294
- SES
p.34, 35, 41
strawberries p.47
- Setaria glauca
p.495
- Setaria viridis
p.496
- Shaw, W.C.
p.23, 75, 254, 325, 492, 508
- Sheep's fescue
p.89, 92
- Silene dichotoma
occurrence p.290

- Sirapis alba**
 as test plant p.370
 volume rate p.391
- Sirapis arvensis**
 p.16, 268, 495
 as test plant p.347 et seq.
 370
 copper sulphate p.468
 dinoseb p.172, 291
 DNC p.434, 438, 470, 471
 G.R.S. p.355, 356
 in flax p.468, 469
 in Kale p.492
 MCPA p.420, 421, 422, 471
 MCPB p.316
 MCPB, MCPA and dinoseb p.332
 PCP p.242
 peas p.157, 158, 159, 160, 163,
 164
 seeds p.295
 sodium chloride and nitrate
 p.453
 spray retention p.391
 sulphuric acid p.457, 459, 460,
 461, 464, 491
 TCA and sodium chlorate p.188
- Slugs**
 DNC, PCP p.446
- Smith, J.H.**
 p.281, 286, 287
- Smith, N.K.**
 p.280
- Smith, W.N.**
 509
- Snapbean**
 p.37
- Sodium arsenite**
 bulbs p.75, 76
 Imperata cylindrica in rubber
 p.510
 Kale p.251, 254
 trees p.508
- Sodium chlorate**
 Agropyron repens p.187
 Agrostis alba and Agropyron
 repens p.201 et seq., 230
- Sodium chloride**
 flax p.476
 sugar beet p.447 et seq.
- Sodium nitrate**
 p.8, 12, 251
 sugar beet p.447 et seq.
- Solanum incanum**
 p.506, 507
- Solanum nigrum**
 seed viability p.294
- Sonchus sp.**
 dinoseb p.171
 MCPB, MCPA and dinoseb p.332
 prevalence and dispersal p.291
- Sonchus arvensis**
 p.234, 235
 MCPA p.421, 422
 MCPB p.316
- Sonchus oleraceus**
 MCPB and MCPA p.337
 phenoxybutyric acids p.315
- Sorbus aucuparia**
 2,4-D, 2,4,5-T p.536
- Sorghum**
 p.29, 36
- Soundy, M.**
 p.327, 363, 370
- Soybeans**
 p.29, 37
- Spencer, L.G.**
 p.151
- Spergula arvensis**
 dispersal p.291
 PCP, endothal, CMU p.448, 451
 phenoxybutyric acids p.315
 TCA p.196
 sulphuric acid p.459
- Spinach**
 PCP p.240, 242
- Sprayer**
 field p.363 et seq.
 knapsack p.375 et seq.
 laboratory p.363 et seq.
 Land rover p.380 et seq.
- Spraying machinery**
 p.257 et seq.

- Squash
p.34
- Stachys sylvatica*
2,4-D p.223, 224, 226
- Stekhoven, J.H.
p.423
- Stellaria media*
p.8, 9, 15, 66, 242, 249, 234,
235
autumn spraying p.446
dinoseb p.172, 174
dispersal p.291, 292
DNC p.434, 435, 437, 438
in clover seed 304
in flax p.471
IPC p.447
PCP p.62, 63
PCP, endothal, CMU p.448, 451
peas p.159
phenoxybutyric acids p.315
reproduction p.289, 304
seed production and
viability p.294
sodium chloride and nitrate
p.449, 450, 452
sulphuric acid p.458, 459,
462, 491
- Sterilants
p.30
- Stoddard solvent
p.34, 35, 41
- Stovell
p.247
- Strawberries
p.35
IPC, SES p.47
phenoxybutyric acids p.313
- Strickland, A.G.
p.272, 273
- Stubbs, J.R.
p.457, 458
- Sugar beet
p.8, 31, 34, 40, 447 et seq.
adsorption MCPA p.324
as test plant p.348
IPC p.492
PCP p.240, 242, 491, 492
TCA p.195, 197, 198
TCA and dichloral urea p.492
- Sugar cane
PCP p.247
- Sulphuric acid
p.8, 13, 35, 250, 251, 260,
446
application rates p.75
brassicas p.491
brassicas and weeds p.457 et seq.
bulbs p.66, 67, 68, 69
flax p.468, 476, 477
vegetables p.57, 58
- Sunflower
light, 2,4-D p.423
- Sunlight
barley, 2,4-D p.395 et seq.
- Swanson and Jacobson
p.20
- Sweet corn
p.36, 242
- Sweet, R.D.
p.57
- Swedes
PCP p.240
- Swynnerton, C.F.M.
p.499
- Syrerholm, M.E. and
Zimmerman, P.W.
p.311
- 2,4,5-T
p.43, 311, 355
Galium spp. p.360
Prosopis juliflora p.508
railway embankments p.523 et seq.
rubber p.508
tropical vegetation p.499 et seq.
woody plants p.535 et seq.
- Taraxacum officinale*
2,4-D p.223
reproduction p.289
- Tarichanthus camphoratus*
p.501, 502, 503, 507
- Tattersfield, F.
p.369

- 2,4,5-TB
 p.312 et seq., 327 et seq.
- TCA
 p.31, 34, 35, 40, 250, 252,
 253
Agropyron repens p.187 et seq.
Agrostis alba and *Agropyron*
repens p.201 et seq.
Avera fatua p.177 et seq., 492
 blackcurrants, sugar beet,
 potatoes, lucerne - weed in
 p.195 et seq.
 grassland p.205 et seq., 229,
 230
Imperata cylindrica p.509 et seq.
 leaching p.373
 soil decomposition p.187
 soil persistence p.196, 208, 210,
 211, 230
- 2,3,6-TCB
 p.29
- Teclea simplicifolia*
 p.501, 502
- Templeman, W.G.
 p.3, 13, 80, 111
- Temperature
 tomatoes, 2,4-D p.423
- ten Houten, J.G.
 p.364, 366
- Thlaspi arvense
 dispersal p.291
 seed p.304
- Thomas, I.
 p.276
- Tillage and weed seed dispersal
 p.295
- Timothy
 p.91, 92, 102
Cuscuta seeds in p.301
 2,4-D p.111, 114, 115, 117,
 120, 121, 122, 123
 MCPB, 2,4-DB and MCPA p.339
- Timothy grass
 TCA p.208, 209
- Titanium oxide
 p.263, 264
- Tomato
 adsorption MCPA p.324
 2,4-D, light, temp. p.423
 phenoxybutyric acids p.313
- Toulson, G.A.
 p.458
- 2,4,5-TP
 cotton p.508
Prosopis juliflora p.508
- Translocation
 2,4-D p.423
- Travers, S.J.
 p.461
- Trefoil
 as test plant p.348
- 2,4,6-tribromophenylnitramine
 p.8, 9, 12
- Trichodadus elliptralis
 p.501, 502
- Tricothecin
 p.9, 10, 13
- Trifolium sp.
 DNC p.434, 435, 438
- Trifolium repens
 p.89
 2,4-D p.79, 80, 81, 82
 TCA p.206
- Tsetse fly
 p.499 et seq.
- Tulips
 DNC and PCP p.446
 weed control in p.65, 66, 67
- Turner, C.
 p.459, 460
- Turnips
 p.20, 34, 242
- Tussilago farfara
 p.307
- Ulex europaeus
 2,4-D, 2,4,5-T p.536

- Ulmus spp.
 2,4-D, 2,4,5-T p.536
- Ulmus procera
 p.526
 2,4-D, 2,4,5-T p.529
- Undersown cereals
 p.250
- Urea
 p.5
- Urtica spp.
 dispersal p.292
- Urtica dioica
 control of dispersal p.306
 2,4-D p.220, 223, 224, 226,
 227
- Urtica urens
 p.66, 69
 dinoseb p.174
 MCPB and 2,4-DB p.316
 PCP p.60, 62
 phenoxybutyric acids p.314
 2,4,5-TB p.312
- U.S.A.
 weed control in p.23 et seq.
- Vavilov
 p.289
- Van Dobben, W.H.
 p.428
- Veronica spp.
 p.66
 dinoseb p.172, 174
 DNC p.434, 435, 437, 438
 early spraying p.407, 412
 in bulbs p.69
 PCP p.62
 PCP, endothal, CMU p.448, 451
 phenoxybutyric acids p.315
 reproduction p.289
- Veronica chamaedrys
 p.234, 235.
 2,4-D p.79, 82, 223
- Veronica filiformis
 p.306
- Veronica hederifolia
 MCPB p.332, 337
- Vicia sepium
 2,4-D p.223
- Viola spp.
 2,4-D p.223
 DNC p.434, 435, 438
- Viola arvensis
 p.3
- Viola hirta
 2,4-D p.79
- Volume rate
 MCPA and dinoseb p.389 et seq.
- Wain, R.L.
 p.13, 311, 325, 326, 327,
 371, 423
- Warren,
 p.238
- Watermelons
 p.34
- Wauthy
 p.238
- Waywell
 p.80
- Weed seeds
 p.19, 289 et seq.
 dispersal p.295
 in oats p.493 et seq.
 legislation p.301 et seq.
- Wellman
 p.11
- Went, F.W.
 p.423
- Wheat
 p.4, 19, 38, 42
 adsorption MCPA p.324
 DNC p.445
 DNC and dinoseb p.433 et seq.
 G.R.S. p.446
 residual effect of sodium
 chlorate, TCA and 2,2-dichloro-
 propionic acid p.187 et seq.
 stage of growth p.423, 424
 yield p.425 et seq.
- Wheat undersown
 2,4-D and MCPA p.144 et seq.

- White Clover
p.91, 102
TCA p.208, 209
- Wightman, F.
p.312
- Williams, O.G.
p.99, 101, 122, 272, 274,
279, 307
- Williams, R.D.
p.460
- Willis, S.J.
p.13, 20, 71, 80, 98,
308
- Wilson, C.W.
p.363, 523 et seq.
- Wirt, F.A.
p.297
- Wood, J.
p.65, 75, 446
- Woodford, E.K.
p.12, 276, 278
- Woody plants
2,4-D, 2,4,5-T p.535
et seq.
- Warburgia stuhlmannii
p.501, 502
- Wright, D.W.
p.276
- Yeo, D.
p.499
- Young
p.238
- Zienkiewicz, H.
p.475, 478
- Zimmerman, P.W.
p.361
- Zuckerman
p.278